1. PHD PROJECT DESCRIPTION (4000 characters max., including the aims and work plan)

Project title: Designing the effective and selective catalysts for CO₂ reduction at low temperature regime

1.1. Project goals

The main objective of the project is the design of highly active, novel catalysts for CO₂ conversion into fuels (hydrocarbons, alcohols) and other high-value products. The main question to answer is whether or not carbon-based nanocomposites can work as active and stable catalysts under low temperature regime including non-thermal plasma conditions. We would also like to explore the role of nitrogen heteroatoms incorporated into the carbon matrix and the role of porosity on catalytic efficiency.

The particular goals:

- Designing the catalysts synthesis and full physicochemical characterization of C-based composites using adsorptive and spectroscopic techniques
- Reaction conditions optimization
- Non-thermal plasma (NTP) parameters investigations

Global tasks:

- Tackling Climate Change, our duty is to contribute to lowering greenhouse gas emissions and delaying climate change.
- Energy Security: It can help improve energy security by reducing reliance on imported fossil fuels.
- Job Creation: Jobs can be created by developing and implementing sustainable fuels and chemical production technologies.
- Economic Growth: It can open up new business opportunities and promote economic expansion.
- Environmental advantages: The proposed study can support the advancement of environmentally friendly business practices and lessen the environmental impact of diverse businesses.

1.2. Outline

There is a growing portfolio of carbon dioxide removal technologies, including those inspired by nature. The carbon dioxide removal solutions have the potential to serve as a necessary defense against pending climate catastrophe. One of the main difficulties is in the **stability and relative**

inertness of CO₂, which makes its reduction quite challenging. The majority of conversion and removal methods rely on high-energy usage, i.e. high-temperature and/or high-pressure conditions. From the economic point of view catalysts able to work in low temperature regime are highly desired.

On the other hand, CO₂ reduction under NTP environment occurs under relatively mild conditions with a lower energy input. The use of NPT has a particular advantage, as it relies on an ON/OFF continuous and readily available power supply. In addition, besides reducing CO₂ emissions into the atmosphere, photocatalytic methods can also provide high-value chemicals that make such approaches an appealing option to conventional CO₂ removal methods.

The focus of the proposed research is to synthesize the nanocomposite based on d-electron metals supported on an carbonaceous matrix. Co, Ni, Mn or Fe due to their stability in various oxidation stages are known as excellent catalysts. On the other hand, the incorporation of nitrogen into the carbon lattice will increase the surface-CO₂ concentration drastically which in turn is expected to rise the catalytic efficiency of CO₂ conversion.

1.3. Work plan

- 1. Carbon-matrices synthesis. (i) amorphous carbons (based on biocarbons), (ii) Graphene oxide, (iii) reduced graphene oxide,
- **2. Heteroatoms-doping.** Various amount of doped heteroatoms (nitrogen, boron; in order to change the surface acidity) will be introduced to carbon materials to investigate its effects on the catalytic efficiency.
- **3.** Nanocomposites synthesis. The hybrids of the C-matrix and single- bi-, and tri-catalytic systems deposited on carbons will be synthesized.
- **4. Porosity measurements.** The low-temperature nitrogen adsorption measurements: surface area and volume; H₂O, NH₃, CO₂ will also be used as adsorbate to characterize the material.
- **5. Full phys-chem characterization;** all available techniques will be used:
 - SEM/EDS: the size, shape, surface texture and morphology of the crystals, and chemical composition;
 - HRTEM/EDX: the pore size, internal structure and morphology of crystals, helps to analyze the chemical composition of materials;
 - TG: thermal stability of prepared nanomaterials; this technique is a good method to check whether the MOF has been sufficiently activated (no residual solvent molecules);
 - PXRD: the crystal structure, phase composition;
 - Sorption of NH₃, CO₂ and H₂O combined with spectral studies determination of chemical properties and mechanism of splitting; for the in situ IR study the pelletized samples will be exposed to target gas.
 - Additionally, the obtained materials will be fully characterized spectroscopically: XPS, IR, RS.
- 6. Finally, the catalytic process of CO₂ reduction LTR or under NPT (dry or with H₂O) will be

evaluated. The collected results will be enriched by in-situ FTIR measurements.

- **7.** The results are expected to be published in high-impact-factor scientific journal.
- The results obtained during the project realization
 - o Activity and selectivity of newly synthesized catalysts
 - o Description the process mechanism
 - Description the process mechanism under NTP

will be published in high-impact-factor scientific journal

1.4. Literature (max. 10 listed, as a suggestion for a PhD candidate)

- 1. Wiśniewski, M., Liu, X., In situ FTIR study of 2D-carbon materials for CO2 splitting under non-thermal plasma environment selective CO production, Journal of Materials Chemistry A, 2023. DOI: 10.1039/d3ta00953i
- 2. Moszczyńska, J., Liu, X., Wiśniewski, M., Non-Thermal Ammonia Decomposition for Hydrogen Production over Carbon Films under Low-Temperature Plasma—In-Situ FTIR Studies, International Journal of Molecular Sciences, 2022, 23(17), 9638
- 3. Wiśniewski, M., Terzyk, A.P., Non-thermal plasma-assisted catalytic CO₂ conversion over Zn-TCPP 2D catalyst, Adsorption, 2020, 26(7), pp. 1165–1171
- 4. Wiśniewski, M., Bieniek, A., Bolibok, P., ...Kowalczyk, P., Terzyk, A.P., Mechanistic aspects of water adsorption-desorption in porphyrin containing MOFs, Microporous and Mesoporous Materials, 2019, 290, 109649
- 5. Wiśniewski, M., Koter, S., Terzyk, A.P., Włoch, J., Kowalczyk, P., CO₂ Reinforced nanoporous carbon potential energy field during CO₂/CH₄ mixture adsorption. A comprehensive volumetric, in-situ IR, and thermodynamic insight, Carbon, 2017, 122, pp. 185–193
- 6. Xu, S., Chansai, S., Shao, Y., ...Fan, X., Hardacre, C., Mechanistic study of non-thermal plasma assisted CO₂ hydrogenation over Ru supported on MgAl layered double hydroxide, Applied Catalysis B: Environmental, 2020, 268, 118752
- 7. Chen, H., Mu, Y., Xu, S., ...Hardacre, C., Fan, X., Recent advances in non-thermal plasma (NTP) catalysis towards C1 chemistry, Chinese Journal of Chemical Engineering, 2020, 28(8), pp. 2010–2021
- 8. Xu, S., Chansai, S., Xu, S., ...Hardacre, C., Fan, X., CO Poisoning of Ru Catalysts in CO₂Hydrogenation under Thermal and Plasma Conditions: A Combined Kinetic and Diffuse Reflectance Infrared Fourier Transform Spectroscopy-Mass Spectrometry Study, ACS Catalysis, 2020, 10(21), pp. 12828–12840
- 9. Xu, S., Chen, H., Hardacre, C., Fan, X., Non-thermal plasma catalysis for CO₂conversion and catalyst design for the process, Journal of Physics D: Applied Physics, 2021, 54(23), 233001
- Li, J., Chansai, S., Hardacre, C., Fan, X., Non thermal plasma assisted water-gas shift reactions under mild conditions: state of the art and a future perspective, Catalysis Today, 2022

1.5. Required initial knowledge and skills of the PhD candidate

- knowledge on chemistry
- basic understanding of catalysis
- understanding of chemical and material's characterization techniques
- analytical thinking and skills
- open to challenging tasks and creative
- hard-working person, eager to learn

1.6. Expected development of the PhD candidate's knowledge and skills

- ability to plan and organize laboratory work
- skilled in novel scientific techniques
- ability to solve research problems
- innovative thinking
- ready to work in an international research group